



Figure 3. Ratios of parent PAH_{exposed}/parent PAH_{unexposed} for the O₃ exposures at RH 0% and RH 50%. A red asterisk denotes a statistically significant difference between the unexposed and exposed masses. (NAP = naphthalene, ACY = acenaphthylene, ACE = acenaphthene, FLU = fluorene, PHE = phenanthrene, ANT = anthracene, RET = retene, FLA = fluoranthene, PYR = pyrene, DBT = dibenzothiophene, BaA = benz(a)anthracene, CHR = chrysene, BbF = benzo(b)fluoranthene, BkF = benzo(k)fluoranthene, BaP = benzo(a)pyrene, PER = perylene, IcdP = indeno(1,2,3-c,d)pyrene, DahA = dibenzo(a,h)anthracene, BghiP = benzo(ghi)perylene).

Acknowledgements:

Partial funding was provided by the Chemicals Management Plan (CMP), the Clean Air Regulatory Agenda and UNEP. We thank Lancaster University and RECETOX for donating passive sampling chambers.

References:

1. Shoeib, M., Harner, T. (2002) *Environ. Sci. Technol.* 36, 4142-4151.
2. Harner, T., 2014_GAPS Template for calculating PUF and SIP disk sample air volumes_November 6 2014, *ResearchGate*. Retrieved date? www.researchgate.net/profile/Tom_Harner?ev=hdr_xprf
3. Harner, T., Mitrovic, M., Ahrens, L., Schuster, J. (2014) *Organohalogen Compds.* 2014, 76, 442-445.
4. Petrich, N.T., Spak, S.N., Carmichael, G.R., Hu, D., Martinez, A., Hornbuckle, K.C., (2013) *Environ. Sci. Technol.* 47, 8591-8598.
5. Tuduri, L., Harner, T., Hung, H., (2006) *Environmental Pollution* 144, 377-383.
6. Markovic, M., Prokop, S., Staebler, R.M., Liggio, J., Harner, T. (2015) *Atmos. Environ.* (in press).
7. Jariyasopit, N., Liu, Y., Liggio, J., Harner, T. (2015) *Atmos. Environ.* (submitted)
8. Eng, A., Pozo, K., Harner, T. (2014) *Environ. Sci. Technol. Letters* 1, 77-81.
9. Schuster, J.K., Harner, T., Su, K., Mihele, C., Eng, A. (2015) *Environ. Sci. Technol.* 49, 2991-2998.