











|                           |   |         |         |        |        |        |        |
|---------------------------|---|---------|---------|--------|--------|--------|--------|
| <b>2,4,6-TriCDF</b>       | 0 | 0.0032  | 0.0060  | 0.0097 | 0.022  | 0.022  | 0.022  |
| <b>1,2,6-TriCDF</b>       | 0 | 0.00058 | 0.00077 | 0.0017 | 0.0047 | 0.0060 | 0.0062 |
| <b>2,3,6/3,4,7-TriCDF</b> | 0 | 0       | 0.00068 | 0.0018 | 0.0067 | 0.0088 | 0.0095 |
| <b>3,4,6-TriCDF</b>       | 0 | 0.00059 | 0.00092 | 0.0026 | 0.0079 | 0.011  | 0.012  |
| <b>1,3,6-TriCDD</b>       | 0 | 0.0054  | 0.016   | 0.058  | 0.23   | 0.29   | 0.31   |
| <b>1,3,9-TriCDD</b>       | 0 | 0.0049  | 0.0085  | 0.030  | 0.13   | 0.17   | 0.18   |
| <b>Σ M-TriCDDs</b>        | - | 0.02    | 0.08    | 0.76   | 5.08   | 6.32   | 6.95   |
| <b>Σ M-TriCDFs</b>        | - | 0.04    | 0.08    | 0.15   | 0.30   | 0.34   | 0.35   |
| <b>PCDDs/PCDFs*</b>       | - | 0.37    | 1.04    | 4.98   | 16.7   | 18.8   | 20.0   |



**Figure 1.** Extracted ion chromatogram and elution orders of M-TriCDF.



**Figure 2.** Extracted ion chromatogram and elution orders of DD and M-TriCDD.